

Blue Green Algae is chiefly used as biofertilizer in the crop of :

Options:

- 1. Gram
- 2. Wheat
- 3. Mustard
- 4. Paddy

5.

Answer: Paddy

• Question No. 2

A farmer has 01 hectare of land to be irrigated with 7 cm. depth. How much time will be required by a tube well with 1500 litre per minute discharge, if its overall efficiency is 90 percent?

Options:

- 1.7.77 hours epare 20/o Faster
- 2. 5.18 hours
- 3. 8.64 hours
- 4. 4.68 hours

5.

Answer: 8.64 hours

• Question No. 3

'Carburettor' is found in which type of engine?

Options:

1. Petrol Engine



- 2. Diesel Engine
- 3. Electric Engine
- 4. All of the above

5.

Answer: Petrol Engine

• Question No. 4

Most Critical state of irrigation in potato is :

Options:

- 1. Growth Phase
- 2. While forming tuber
- 3. While forming stolen
- 4. None of the above

5.

Answer: While forming tuber



Water use efficiency is defined as — where

Y = Yield, T = Transpiration, ET = Evapotranspiration

Options:

- 1. Y/T
- 2. T/Y
- 3. Y/ET
- 4. ET/Y

5.

Answer: Y/ET



Which insecticide trade name is Celphos?

Options:

- 1. Aluminium phosphide
- 2. Alpha methrin
- 3. Calcium arseinate
- 4. Carbaryl

5.

Answer : Aluminium phosphide

• Question No. 7

Cyanobacteria is:

Options:

- 1. Consumer
- 2. Decomposer
- 3. Producer Coare Du Jo Faste
- 4. None of the above

5.

Answer: Producer

• Question No. 8

Gujhia Weevil is an important insect pest of wheat, attacks at the time of

- 1. Sowing
- 2. Tillering
- 3. Storing



4. Germinating Seedlings

5.

Answer: Germinating Seedlings

• Question No. 9

Cow pox is a:

Options:

- 1. Bacterial disease
- 2. Viral disease
- 3. Protozoa disease
- 4. Fungal disease

Answer: Viral disease

• Question No. 10

Options :

Which is the longest phase of Mitotic cell Division :

- 1. Metaphase
- 2. Anaphase
- 3. Telophase
- 4. Prophase

5.

Answer: Prophase

• Question No. 11

Which of the following is a man-made cereal?



- 1. Wheat
- 2. Triticale
- 3. Rice
- 4. Barley

5.

Answer: Triticale

• Question No. 12

C.I.M.M.Y.T. is located in :

Options:

1. Mexico
2. Nigeria
3. Spain
4. India
5.

• Question No. 13

Beautiful Trees and Garden is a book written by :

Options:

- 1. B.P. Pal
- 2. M.S. Randhawa
- 3. N.S. Randhawa
- 4. R.N. Singh

5.

Answer: M.S. Randhawa



Parthenogenesis is common in :

Options:

- 1. Grape
- 2. Mango
- 3. Litchi
- 4. Citrus

5.

Answer: Grape

• Question No. 15

Motha grass belongs to the family of :

Options:

- 1. Cyperacea
- 2. Graminae
- 3. Tiliacea repare 2 0/0 Faster
- 4. Cruciferae

5.

Answer: Cyperacea

• Question No. 16

Which crop is related to 'Blindness'?

- 1. Wheat
- 2. Groundnut
- 3. Paddy



4. Cauliflower

5.

Answer: Cauliflower

• Question No. 17

The chief pollutants of atmosphere which are most likely to deplete the ozone layer:

Options:

- 1. Sulphur dioxide
- 2. Carbon monoxide
- 3. Nitrogen oxides & Fluorocarbon
- 4. Carbon dioxide

5

Answer: Nitrogen oxides & amp; Fluorocarbon

• Question No. 18

Which of the following is famous breed of goat?

0% Faster

Options:

- 1. Jamunapari
- 2. Mehsona
- 3. Surti
- 4. Bhakarwal

5.

Answer: Jamunapari

• Question No. 19

For chemical method of dehorning, which chemical used?



- 1. NaOH
- 2. Mg(OH) □
- 3. HCL
- 4. Ca(OH) □

5.

Answer: NaOH

• Question No. 20

"Phalaris minor" weed mostly grow with:

Options:

1. Potato
2. Paddy
3. Sugarcane
4. Wheat
5.

• Question No. 21

Golden rice is rich in:

Options:

- 1. Vitamin D
- 2. Vitamin B
- 3. Vitamin A
- 4. Vitamin C

5.

Answer: Vitamin A



Hydrocyanic Acid (HCN) poison is found in:

Options:

- 1. Maize
- 2. Pearimillet
- 3. Sorghum
- 4. Berseem

5.

Answer: Sorghum

• Question No. 23

For C3 plants the optimum temperature for Photosynthesise is: C3

Options:

1. 35 °C

2. 30°C- 47°C

4. 15°C- 25°C

5.

Answer: 15°C-25°C

• Question No. 24

Some plants release some chemicals which affect the growths & development of other plants, this process is known as :

- 1. Allelopathy
- 2. Periodicity



- 3. Sturdidity
- 4. Parthenocarpy

5.

Answer: Allelopathy

• Question No. 25

Materials used in the manufacture of Cultivator shovel:

Options:

- 1. Chilled cost Iron
- 2. Gun Metal
- 3. Mild Steel
- 4. Brass

Answer : Chilled cost Iron

• Question No. 26

An Indigenous Plough is:

Options:

- 1. A Wetland Peddler
- 2. A Secondary tillage implement
- 3. A Primary tillage implement
- 4. A Multipurpose implement

5.

Answer: A Primary tillage implement

• Question No. 27

Those weeds which produce seeds similar in shape, size & weight as that of some crop seeds are called as:



- 1. Satellite weeds
- 2. Efficient Weeds
- 3. Non-efficient weeds
- 4. Invasive weeds

5.

Answer: Satellite weeds

• Question No. 28

The famous Chaubatia paste a fungicide, is used in orchards of apple and peaches is prepared by mixing copper

carbonate and in linolin or linseed oil

Options:

- 1. Copper Sulphate
- 2. Red lead
- 3. Ammonium Carbonate
- 4. Hydrated lime

Prepare **50%** Faster

Answer: Red lead

• Question No. 29

Immature leaf of plants fall down due to deficiency of:

Options:

- 1. Sodium
- 2. Zinc
- 3. Sulphur
- 4. Phosphorus

5.



Answer: Zinc

• Question No. 30

In tractor P.T.O stand for:

Options:

- 1. Pressure Transfer Order
- 2. Please Turn Over
- 3. Power Take Off
- 4. Power Transfer On

5.

Answer: Power Take Off

• Question No. 31

The hormone, which controls flowering is called

Options:

- 1. Florigen repare 5 0 6 Faster
- 2. Kinins
- 3. Gibberalins
- 4. I.A.A.

5.

Answer: Florigen

• Question No. 32

Which of the following will be used to Reclaim acidic Soil?

Options:

1. Gypsum



- 2. Cow dung
- 3. Lime
- 4. Pyrite

5.

Answer: Lime

• Question No. 33

Which of the following crop is highly tolerant to alkalinity?

Options:

- 1. Foxtail millet
- 2. Pearl millet
- 3. Kodo millet
- 4. Finger millet

5.

Answer : Finger millet

Laterite Soil is rich in:

• Question No. 34

50% Faster

Options:

- 1. Co
- 2. Ca
- 3. Fe
- 4. Mg

5.

Answer : Fe

• Question No. 35



A new approach to interpreting leaf or plant analysis which identifies all the nutritional factors limiting crop production and developed by Beaufils university of Natal South Africa :

Options:

- 1. Plant Health Diagnosis System
- 2. Integrated Nutrient Management
- 3. Soil Health Diagnosis System
- 4. Diagnosis and Recommendation Integrated System

5.

Answer: Diagnosis and Recommendation Integrated System

• Question No. 36

Number of chromosome in Maize Crop:

Options:

1. 2n =40

2. 2n =14

3. 2n =20

4. 2n =25 / e Dare 2 / 0 Faster

5.

Answer: 2n = 20

• Question No. 37

Triticum aestivum wheat is:

- 1. Hexaploid
- 2. Diploid
- 3. Tetraploid
- 4. Haploid



5.

Answer: Hexaploid

• Question No. 38

Giant chilli is a rich source of:

Options:

- 1. Thiamine
- 2. Vitamin-A
- 3. Riboflavin
- 4. Vitamin-C

5

Answer : Thiamine

• Question No. 39

Seed drill have slip equal to:

Options: Prepare 5 0% Faster

- 1. Zero
- 2. Positive Slip
- 3. Negative Slip
- 4. None of the above

5.

Answer : Positive Slip

• Question No. 40

In comparison to other soil, the availability of iron and manganese in acidic soil is:



- 1. Low
- 2. Minimum
- 3. Unaffected
- 4. High

5.

Answer: High

• Question No. 41

The green potato becomes poisonous due to:

Options:

- 1. Trizen
- 2. Harmones
- 3. Solanin
- 4. Phyto Alaxines

5.

Answer: Solanin

Prepare 5 06 Faster

• Question No. 42

Question 110. 12

The quantity of nitrogen in FYM is:

Options:

- 1. 1.5
- 2. 2.5
- 3. 0.5
- 4. 4

5.

Answer: 0.5



	\sim					40
•	() 4	estic	nn -	N	\sim	/I ≺
•	Ou	こうしい	<i>-</i> 111	ıν	v.	エン

By inducing stomatal closing, phenyl mercuric Acetate in low concentration serves as :

Options:

- 1. Toxic
- 2. Nematicide
- 3. Insecticide
- 4. Anti-transpirant

5.

Answer : Anti-transpirant

• Question No. 44

Which instrument is used to measure the draft of pull by a Tractor?

Options:

- 1. Dynamometer
- 2. Spe<mark>edo</mark> meter
- 3. Anemometer
- 4. Voltmeter

5.

Answer: Dynamometer

• Question No. 45

 $\frac{\text{weight of Soil}}{\text{Volume of Dry Soil including Pores}} \ \text{is a formula for measuring of} :$



- 1. Bulk Density
- 2. Soil Density
- 3. Pores Density
- 4. Particle Density

5.

Answer: Bulk Density

• Question No. 46

Which insect attacks on 'paddy crop' during night?

Options:

1. Gundhi bug
2. BPH
3. Aphid
4. Rice Stem borer
5.

• Question No. 47

Answer: Gundhi bug

The first Krishi Vigyan Kendra (KVK) was established in :

Options:

- 1. Pondicherry
- 2. Mysore
- 3. Hyderabad
- 4. Bengaluru

5.

Answer: Pondicherry



In Saltation process, soil particles move in a series of bounces or jumps having the particle size ranging from :

Options:

- 1. 0.025 mm to 0.05 mm
- 2. 0.05 mm to 0.5 mm
- 3. 0.025 mm to 0.25 mm
- 4. 0.005 mm to 0.05 mm

5.

Answer: 0.05 mm to 0.5 mm

• Question No. 49

Bt. toxin is produced by a:

Options:

- 1. Fungus
- 2. Bacterium
- 3. Algae repare 2 1/0 Fastel
- 4. Virus

5.

Answer: Bacterium

• Question No. 50

The causative agent of early blight disease of potato is :

- 1. Ustilago
- 2. Fusarium
- 3. Albugo



4. Alternaria

5.

Answer: Alternaria

• Question No. 51

Which of the following is wrongly matched?

Options:

- 1. Rinder Pest Viral
- 2. Ranikhet Viral
- 3. Anthrax Bacterial Disease
- 4. F.M.D. Bacterial

5.

Answer: F.M.D. – Bacterial

• Question No. 52

Which method of following takes minimum space is transmission of power:

Options:

- 1. Gears
- 2. Sprocket wheels and chain
- 3. Pulleys and Belts
- 4. None of the above

5.

Answer: Gears

• Question No. 53

A tractor is driving a chaff cutter; Tractor's pulley has a circumference of 44 cm and rotating at 500 revolutions per minute. If speed of chaff cutter Pulley is 700 revolution per minute, then the diameter of its pulley will be:



- 1. 10 cm
- 2. 11 m
- 3. 60 cm
- 4. 22 cm

5.

Answer: 10 cm

• Question No. 54

Which of the following instrument can be used for sowing Seeds in line?

Options:

- 1. Meston Plough
- 2. Wah-wah Cultivator
- 3. Scraper
- 4. Harrow

5.

Answer : Wah-wah Cultivator

• Question No. 55

The Father of Agronomy was:

Options:

- 1. Handersion-day
- 2. Pitersion-Agras
- 3. Pietro de Crescenzi
- 4. Andersion-Nomas

5.

Answer: Pietro de Crescenzi



Measure taken to prevent cows from habit of drinking their own milk is:

Options:

- 1. Halter
- 2. Tail Holder
- 3. Neck Cradlet
- 4. None of the above

5.

Answer: Neck Cradlet

• Question No. 57

For two stroke engine firing interval is:

A.
$$f1 = \frac{360^{\circ}}{NO}$$
 of cylinders

B.
$$f1 = \frac{720^{\circ}}{NO}$$
 of cylinders

C.
$$f1 = \frac{380^{\circ}}{NO}$$
 of cylinders

D.
$$f1 = \frac{390^{\circ}}{NO}$$
 of cylinders

Options:

1. A

2. B



- 3. C
- 4. D

5.

Answer: A

• Question No. 58

Seeds Sample Certificate's colour is:

Options:

- 1. White
- 2. Blue
- 3. Purple
- 4. Orange

5.

Answer: Blue

• Question No. 59

The reason of smell in Garlic is:

Options:

- 1. Capsaicin
- 2. Oxalate
- 3. Senegrin
- 4. Alicin

5.

Answer: Alicin

• Question No. 60

The term Vernalization was coined by :



- 1. Chailkhyan
- 2. G.Gassner
- 3. T.D. Lysenko
- 4. S.M. Sircar

5.

Answer: T.D. Lysenko

• Question No. 61

Which Crop is related to 'Bolting':

Options:

1. Cotton
2. Garlic
3. Onion
4. Gram
5.

• Question No. 62

Chemical composition of pyrite is:

Options:

- 1. CaCo3
- 2. FeS2
- 3. CaSo4
- 4. Na2So4

5.

Answer: FeS2



Component of sustainable Agriculture is/are:

Options:

- 1. Genetic Variability
- 2. Integrated pest Management
- 3. Participation of farmers
- 4. All above

5.

Answer: All above

• Question No. 64

Harvest index of Pigeon pea is:

Options:

1.15%

2.20%

3.19%

4. 23%

5.

Answer: 19%

• Question No. 65

Botanical name of Soya bean is:

- 1. Cajanus Cajan
- 2. Zea-Mays
- 3. Glycine Max



4. Oryza Sativa

5.

Answer: Glycine Max

• Question No. 66

Which of the following is the world's largest egg laying hen?

Options:

- 1. New Hampshire Breed
- 2. Orpington Breed
- 3. Wyandotte Breed
- 4. White Leghorn Breed

5.

Answer: White Leghorn Breed

• Question No. 67

The next crop to sown before harvesting the preceding crop, is called:

Options:

- 1. Intensive cropping
- 2. Relay Cropping
- 3. Non-Overlapping cropping
- 4. Sequential cropping

5.

Answer: Relay Cropping

• Question No. 68

Indian Institute of Sugar Cane Research is situated in :



- 1. Prayagraj
- 2. Lucknow
- 3. Varansi
- 4. Kanpur

5.

Answer: Lucknow

• Question No. 69

Cutting blades of chaff cutter machine are made of :

Options:

- 1. Aluminium
- 2. High carbon steel
- 3. Cast iron
- 4. Copper

5.

Answer: High carbon steel

• Question No. 70

Elongation of genetically dwarf plant is possible by the application of :

Options:

- 1. Vitamin
- 2. Ethylene
- 3. Gibberellins
- 4. Kinetin

5.

Answer: Gibberellins



 Ouestion No. / i 	•	Question	No.	71
--------------------------------------	---	----------	-----	----

Bordeaux mixture is a:

Options:

- 1. Weedicide
- 2. Bactericide
- 3. Pesticide
- 4. Fungicide

5.

Answer: Fungicide

• Question No. 72

One power stroke is consist of how many rounds of crank shaft in four-stroke cycle engine?

Options:

- 1. 4 Rounds
- 2. 2 Rounds
- 3. 3 Rounds (e) Offe 2 0 Faster
- 4. None of the above

5.

Answer: 2 Rounds

• Question No. 73

Curing is practiced in:

- 1. Cocoa
- 2. Tobacco
- 3. Jute



4. Rubber

5.

Answer: Tobacco

• Question No. 74

Which part of a centrifugal pump rotates to lift water :

Options:

- 1. Impeller
- 2. Foot Value
- 3. Bearing
- 4. Coupling

5.

Answer : Impeller

• Question No. 75

Among the following which particular control measure is included in Seed Certification?

Options:

- 1. Field inspection
- 2. Genetic purity
- 3. Control plot testing
- 4. All of the above

5.

Answer: All of the above

• Question No. 76

The pigment responsible for the colour of brinjal is :



- 1. Anthocyanin
- 2. Beta carotene
- 3. Capsaicin
- 4. None of the above

5.

Answer: Anthocyanin

• Question No. 77

Which Monsoon receives the most rainfall in India?

Options:

- 1. North East Monsoon
- 2. North West Monsoon
- 3. South East Monsoon
- 4. South West Monsoon

5.

Answer : South West Monsoon

• Question No. 78

Coconut fat is a rich source of:

Options:

- 1. Palmitic acid
- 2. Ricinoleic acid
- 3. Stearic acid
- 4. Lauric acid

5.

Answer: Lauric acid



Urea hydrolysis in the soil produces:

Options:

- 1. Amides
- 2. Ammonium Nitrate
- 3. Uric Acid
- 4. Ammonium Bicarbonate

5.

Answer: Ammonium Bicarbonate

• Question No. 80

What will happen if Lycopene is absent from tomato?

Options:

- 1. Red colour of tomato affected
- 2. Immature fruit
- 3. Black patches on fruit
- 4. Become bitter

5.

Answer: Red colour of tomato affected

• Question No. 81

Instrument for measuring moisture in soil is:

- 1. Lyso Meter
- 2. Tensio Meter
- 3. Pyro Meter



4. Hygro Meter

5.

Answer: Tensio Meter

• Question No. 82

Paddy is normally stored at:

Options:

- 1.12 % Moisture content on wet basis
- 2.12 % Moisture content on dry basis
- 3.15 % Moisture content on dry basis
- 4. 15 % Moisture content on wet basis

5

Answer: 12 % Moisture content on wet basis

• Question No. 83

Options:

Which one is the water soluble fertilizer?

uble fertilizer? Dare 5 0 Faster

- 1. Basic slag
- 2. Dicalcium Phosphate
- 3. Rhemania Phosphate
- 4. Single Super Phosphate

5.

Answer: Single Super Phosphate

• Question No. 84

Which type of R.N.A contains unusual bases?



- 1. t-R.N.A
- 2. m-R.N.A
- 3. r-R.N.A
- 4. All of the above

5.

Answer: t-R.N.A

• Question No. 85

In nature the rate of mutation is:

Options:

1.1 × 10⁻5

2.1 × 10-8

3.1 × 105

4.1 × 108

5.

• Question No. 86

Aseel is a breed of:

Options:

- 1. Cow
- 2. Goat
- 3. Cock
- 4. Sheep

5.

Answer: Cock



•	Question	Nο	87
•	Question	140.	Ο,

Nostoc is a member of :

Options:

- 1. Phaeophyceal
- 2. Rhodophyceal
- 3. Cyamophyceal
- 4. Chlorophyceal

5.

Answer: Cyamophyceal

• Question No. 88

Whiptail in cauliflower is cause due to:

Options:

- 1. Deficiency of Iron
- 2. Deficiency of Sulphur
- 3. Deficiency of Molybdenum
- 4. Deficiency of Boron

5.

Answer: Deficiency of Molybdenum

• Question No. 89

N:P:K ratio in legumes is generally:

- 1. 3:1:1
- 2. 4:2:1
- 3. 1:2:2





4. 3:1:0

5.

Answer: 1:2:2

• Question No. 90

Generally disc angle of a disc plough is:

Options:

- 1. 20°
- 2. 45°
- 3. 0°
- 4.15°

5.

Answer: 45°

• Question No. 91

Which one is the total root parasitic weed?

ch one is the total root parasitic weed

Options :

- 1. Orabanche
- 2. Cuscota
- 3. Loranthus
- 4. Striga

5.

Answer : Orabanche

• Question No. 92

Chemical formula of Muscovite is:



- 1. KAI2 Si3 O10 (OH) 2
- 2. KAI3 Si4 O10 (OH) 2
- 3. KAI3 Si2 O10 (OH) 2
- 4. KAI3 Si3 O10 (OH) 2

5.

Answer: KAI3 Si3 O10 (OH) 2

• Question No. 93

UPAS-120 is a variety of:

Options:

- 1. Black Gram
- 2. Soya bean
- 3. Pea
- 4. Pigeon Pea

5.

Answer: Pigeon Pea 20012 Control Contr

• Question No. 94

Trichoderma is a/an:

Options:

- 1. Algae
- 2. Virus
- 3. Bacterium
- 4. Fungus

5.

Answer: Fungus



The Pusabin for the storage of food grains is developed by :

Options:

- 1. ICAR. New Delhi
- 2. GBPUAT, Pantnagar
- 3. IARI, New Delhi
- 4. Food Corporation of India

5.

Answer: IARI, New Delhi

• Question No. 96

Which one of the following is not a plant hormone?

Options:

1. Auxin

2. A.B.A.

3. N.A.

4. 2, 4-D

5.

Answer: N.A.

• Question No. 97

Which heavy metal was responsible for causing Minamata disease?

- 1. Lead
- 2. Cadmium
- 3. Mercury



4. All of these	
5.	
Answer : Mercury	
• Question No. 98	
Which instrument is used to measure the draft force by a Tractor?	
Options :	
1. Volt Meter	
2. Speedometer	
3. Dynamo Meter	
4. Ampere Meter	
5.	
Answer : Dynamo Meter	
• Question No. 99	
The cotton developed by transfer of Bt. gene in plant is named as :	
Options: Prepare 2 U/o Faste	
1. Organic Cotton	
2. Transgenic Cotton	
3. Inorganic Cotton	
4. None of the above	
5.	
Answer : Transgenic Cotton	
• Question No. 100	
In rice the Akiochi disease is caused due to the toxicity of	

UKSSSC AAO 2020 Previous Year Paper



- 1. Zinc
- 2. Iron
- 3. Hydrogen sulfide
- 4. Phosphorus

5.

Answer: Hydrogen sulfide

Attempt Mock Test Now

All ixamBee Mock Test are FREE @ www.ixamBee.com

